

Marchio / Brand KOS

Classe / Class K-VAC

**GEO COLLECTION**

1G1TTBI0SA

Geo 180, vasca free standing. / Geo 180, free standing bathtub.




Vasca free standing in metacrilato composta da un guscio interno rinforzato con fibra di vetro e pannello in agglomerato di legno e controguscio esterno – nr. 9 piedini regolabili – colonna di scarico con troppopieno nascosto. Colore bianco. Piletta di scarico spazzolata. Dimensioni: Ø 1800 x h. 700 mm.

Free standing bathtub made in methacrylate composed of an inside apron reinforced with fiberglass and a chipboard panel and an outside self-supporting apron with a fixing system to the floor – 9 adjustable feet – drain assembly type push-to-close/click-clack waste with trap complete with hidden overflow. White color. Brushed drain assembly. Dimensions: Ø 1800 x h. 700 mm.

## GEO COLLECTION

1G1TTBI0SA Disegno Complessivo / Overall Drawing



**GEO COLLECTION**

1G1TTBI0SA

Dati operativi / Specifications		
Dimensioni / Dimensions	180 x H=700 mm	70 55/64" x h. 27 9/16" inc
Marcatura CE / CE Marking	si	
Peso netto / Net weight	85.00 kg	187.00 lb
Peso operativo / Working weight	400.00 kg	881.00 lb
Capacità / Capacity	570.00 l	150.00 gal

**Materiale / Material**

Metacrilato / Methacrylate

**Pulizia / Cleaning**

Per la pulizia della vasca, utilizzare un panno morbido ed un detergente liquido non abrasivo privo di sostanze alcoliche, ammoniacale, acido formico o formaldeide perché possono danneggiare la vasca in modo irreversibile. Per mantenere la brillantezza della superficie acrilica utilizzare un polish anche spray.

Per eliminare le macchie o tracce persistenti, utilizzare un panno morbido ed un detersivo domestico non abrasivo oppure del dentifricio, oppure del prodotto per la pulizia dell'argento ed insistere sulla superficie da pulire.

Per eliminare i depositi di calcare, utilizzare un panno morbido imbevuto di succo di limone caldo o di aceto caldo.

Per rinnovare una superficie graffiata o bruciata con la sigaretta, è sufficiente strofinare la zona con della carta vetrata molto fine (1.000/2.000) bagnata con dell'acqua e poi passare del polish sulla superficie abrasa. Quando il polish risulta asciutto, la zona va lucidata con un panno di lana oppure con una lucidatrice elettrica.

For the cleaning of the tub, use a soft cloth and a non-abrasive liquid detergent that is free of alcohol substances, ammonia, formic acid or formaldehyde, which could irreversibly damage the tub. To maintain the brightness of the acrylic surface, you can use a spray polish.

To eliminate any stubborn marks or stains, use a soft cloth and a non-abrasive house-hold detergent or toothpaste, or use silver polish and rub gently on the surface to clean.

To remove any lime deposits, use a soft cloth moistened with warm lemon juice or warm vinegar.

To restore a scratched or cigarette-burnt surface, rub the area with very fine sandpaper or emery cloth (1,000/2,000 gauge) wetted with water and then spread a polish over the smoothed surface. When the polish has dried, the area should be buffed with a woollen cloth or with an electrical polishing disk.

**GEO COLLECTION****1G1TTBIO5A**      Pesi e Misure / Weights and Sizes

Peso ( Kg ) Weight ( lb )	150,00 ( Kg )	330,69 ( lb )
Volume ( dc3 ) - ( in3 )	3321,21 ( dc3 )	202672,52 ( in3 )
h ( mm ) - ( in )	920,00 ( mm )	36,22 ( in )
L1 ( mm ) - ( in )	1900,00 ( mm )	74,80 ( in )
L2 ( mm ) - ( in )	1900,00 ( mm )	74,80 ( in )

