

SHOWER

Z94279

Soffione a getto fisso, Ø 205 mm. / Shower head, Ø 205 mm.



Soffione in ABS, a getto fisso con sistema anticalcare, Ø 205 mm.
Water Saving - portata d'acqua uguale o inferiore a 9 l/min.

ABS shower head, simple jet, with anti-limescale system, Ø 205 mm.
Water Saving - water flow rate of 9 L/min or less.

Finiture / Finishes




Cromo / Chrome

SHOWER

Z94279

Disegno Complessivo / Overall Drawing




SHOWER

Z94279

Portate / Flowrates (lt/min)

PRESSIONE PRESSURE	1 BAR	2 BAR	3 BAR	4 BAR	5 BAR
SOFFIONE SHOWER HEAD P1	5	6,8	8,6	9	9
P2					
P3					
P4					
P5					



SHOWER

Z94279

Pesi e Misure / Weights and Sizes

Peso (Kg) Weight (lb)	1,10 (Kg)	2,43 (lb)
Volume test (dc3) - (in3)	4,50 (dc3)	274,61 (in3)
h (mm) - (in)	75,00 (mm)	2,95 (in)
L1 (mm) - (in)	240,00 (mm)	9,45 (in)
L2 (mm) - (in)	250,00 (mm)	9,84 (in)

